



## BUILDING KING COLLATED NAILS

VERSION: 1.0

DATE: November 23

---

DESIGNATED BUILDING PRODUCT: Class 1

---

### DECLARATION

Building King Ltd has provided this declaration to satisfy the provisions of the Building Regulations (Building Product Information Requirements – BPIR) 2022

---

### COMPANY DETAILS

Name:	Building King Ltd	Website:	<a href="http://buildingking.co.nz">buildingking.co.nz</a>
Role:	Supplier	Email:	accounts@buildingking.co.nz
NZBN:	9429041273821	Address:	11 Rakau Rd, Wanganui, 4501

---

### DESCRIPTION OF BUILDING PRODUCT

Building King collated Framing Nails are supplied with D Head, Jolt Head and Round Head. They are supplied at a 34° angle (more or less), with a smooth or annular ring shaft, diameter range 2.87 – 3.15 mm and lengths 50 – 90 mm. They are paper collated and are offered uncoated (bright), Electroplated, Hot Dipped Galvanised (HDG) or 304/316 stainless steel. Joist hanger paper collated nails are supplied at a 34° angle, diameter of 3.33 mm and length of 38 mm.

More specific product information is available on the [Building King website](http://Building King website).

---

### CONTRIBUTION TO BUILDING WORK CODE OBLIGATIONS

Building King collated nails comply with the following building code clauses:

B1 (structure)	Section 4, NZS3604:2011 table 4.1
B1.3.1, B1.3.2, B1.3.3 (a,f,f,l,j,m,q)	allows non-galvanised, mild steel and electroplated nails in all zones when used in closed environments
B2 (Durability) B2.3.1 (a, b)	Where used in a sheltered environment, hot-dipped galvanised is required and for exposed environments minimum 304 stainless steel is required.
F2 (Hazardous Building Materials) F2.3.1	Building King provides collated nails that meet these requirements

---

### FURTHER INFORMATION

Building King products must be used in accordance with all information supplied by Building King Ltd, and industry best practices.

Supporting information: [buildingking.co.nz](http://buildingking.co.nz)

---



## BPIR DECLARATION

### RESPONSIBLE PERSON

In accordance with Regulation 8, as the responsible person I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's own processes and is therefore to the best of my knowledge, correct.

I can also confirm that the Building King Ltd referred to in this statement is not subject to a warning or ban under s26 of the Building Act.

---

SIGNED – ON BEHALF OF BUILDING KING LTD

*S Davis*

Shane Davis  
DIRECTOR

November 2023